CARTI LOW DOSE CT (LDCT)

Scheduling: 501.906.4454 | Fax: 501.907.8396 | Little Rock | North Little Rock | Conway | Pine Bluff | Russellville

PLEASE ATTACH DEMO SHEET AND LAST OFFICE NOTE. Patient SSN:	LUNG	CANCER SCREENING ORDER FORM
Patient Name:	PLEASE A	TACH DEMO SHEET AND LAST OFFICE NOTE. Patient SSN:
Please check one of the following: CT Lung Screening Initial Participant confirms they have had a shared decision-making visit with their primary care physician. Defer to CARIL- Shared Decision-Making Visit (Eligibility, benefit and harm linked to LCDT screening, importance of annual LCDT and smoking cessation with resources). Program will report results to the initiating provider. CT Lung Screening Annual Follow-Up CT Lung Screening Diagnostic Evaluation (3/6 month follow-up), ICD-10 Lung Nodule R91.1 Only order if recommended by prior LS (LCDT) report: Lung-RADS 3, 4A or 4B; screening criteria not applicable. SCREENING CRITERIA (Patient must meet all criteria. Screenings can only be done once per year.) Y N Is the patient between the ages of 55-77? Medicaid/Medicare requirements are ages 50-77. Do not order if patient is outside of these age ranges. If the patient is a current or former smoker, enter the pack years of smoking history (numerical value).	PATIENT II	NFORMATION - Please print.
Please check one of the following: CT Lung Screening Initial Participant confirms they have had a shared decision-making visit with their primary care physician. Defer to CARIL- Shared Decision-Making Visit (Eligibility, benefit and harm linked to LCDT screening, importance of annual LCDT and smoking cessation with resources). Program will report results to the initiating provider. CT Lung Screening Annual Follow-Up CT Lung Screening Diagnostic Evaluation (3/6 month follow-up), ICD-10 Lung Nodule R91.1 Only order if recommended by prior LS (LCDT) report: Lung-RADS 3, 4A or 4B; screening criteria not applicable. SCREENING CRITERIA (Patient must meet all criteria. Screenings can only be done once per year.) Y N Is the patient between the ages of 55-77? Medicaid/Medicare requirements are ages 50-77. Do not order if patient is outside of these age ranges. If the patient is a current or former smoker, enter the pack years of smoking history (numerical value).	Patient N	ame:DOB:Phone:
 CT Lung Screening Initial Participant confirms they have had a shared decision-making visit with their primary care physician. Defer to CARTI- Shared Decision-Making Visit (Eligibility, benefit and harm linked to LCDT screening, importance of annual LCDT and smoking cessation with resources). Program will report results to the initiating provider. CT Lung Screening Diagnostic Evaluation (3/6 month follow-up), ICD-10 Lung Nodule R91.1 Only order it recommended by prior LS (LCDT) report: Lung-RADS 3, 4A or 4B; screening criteria not applicable. SCREENING CRITERIA (Patient must meet all criteria. Screenings can only be done once per year.) Y N Is the patient between the ages of 55-77? Medicaid/Medicare requirements are ages 50-77. Do not arder if patient is outside of these age ranges. Have you verified the patient has no signs or symptoms of lung cancer or has ever had lung cancer? If the patient is a current or former smoker, enter the pack years of smoking history (numerical value). Packs per day (Average # of cigarettes per day: 20 cigarettes = 1 pack) Years of smoking Years of smoking Years or greater to be eligible for this scan. Medicaid/Medicare requirements are 20 pack years or greater. Do not order if pack year history is below the requirements as stated above Is the patient a former smoker? If yes, ICD-10 F17.210 Nicotine dependence, cigarettes, uncomplicated Is the patient a former smoker? Enter the number of years/date since patient quit smoking:(within the last 15 years) If yes, ICD-10 Z87.891 Personal Hx of Tobacco Use/Nicotine Dependence Do not order this test if 15 years or greater since the patient quit smoking. 		
 Participant confirms they have had a shared decision-making visit with their primary care physician. Defer to CARTI- Shared Decision-Making Visit (Eligibility, benefit and harm linked to LCDT screening, importance of annual LCDT and smoking cessation with resources). Program will report results to the initiating provider. CT Lung Screening Diagnostic Evaluation (3/6 month follow-up), ICD-10 Lung Nodule R91.1 Only order if recommended by prior LS (LCDT) report: Lung-RADS 3, 4A or 4B; screening criteria not applicable. SCREENING CRITERIA (Patient must meet all criteria. Screenings can only be done once per year.) Y N Is the patient between the ages of 55-77? Medicaid/Medicare requirements are ages 50-77. Do not order if patient is outside of these age ranges. Have you verified the patient has no signs or symptoms of lung cancer or has ever had lung cancer? If the patient is a current or former smoker, enter the pack years of smoking history (numerical value). 		
 Defer to CARTI- Shared Decision-Making Visit (Eligibility, benefit and harm linked to LCDT screening, importance of annual LCDT and smoking cessation with resources). Program will report results to the initiating provider. CT Lung Screening Diagnostic Evaluation (3/6 month follow-up), ICD-10 Lung Nodule R91.1 Only order if recommended by prior LS (LCDT) report: Lung-RADS 3, 4A or 4B; screening criteria not applicable. SCREENING CRITERIA (Patient must meet all criteria. Screenings can only be done once per year.) Y N Is the patient between the ages of 55-77? Medicaid/Medicare requirements are ages 50-77. Do not order if patient is outside of these age ranges. Have you verified the patient has no signs or symptoms of lung cancer or has ever had lung cancer? If the patient is a current or former smoker, enter the pack years of smoking history (numerical value). Packs per day (Average # of cigarettes per day: 20 cigarettes = 1 pack) Years of smoking Pack-year score (# of packs/day X # of years smoked) Must be 30 pack years or greater to be eligible for this scan. Medicaid/Medicare requirements are 20 pack years or greater. Do not order if pack year history is below the requirements as stated above Is the patient a current smoker? If yes, ICD-10 F17.210 Nicotine dependence, cigarettes, uncomplicated Is the patient a former smoker? If yes, ICD-10 Z87.891 Personal Hx of Tobacco Use/Nicotine Dependence Do not order this test if 15 years or greater since the patient quit smoking. Patient has been counseled on the importance of abstaining from cigarettes smoking. 	-	-
 of annual LCDT and smoking cessation with resources). Program will report results to the initiating provider. CT Lung Screening Annual Follow-Up CT Lung Screening Diagnostic Evaluation (3/6 month follow-up), ICD-10 Lung Nodule R91.1 Only order if recommended by prior LS (LCDT) report: Lung-RADS 3, 4A or 4B; screening criteria not applicable. SCREENING CRITERIA (Patient must meet all criteria. Screenings can only be done once per year.) Y N Is the patient between the ages of 55-77? Medicaid/Medicare requirements are ages 50-77. Do not order if patient is outside of these age ranges. Have you verified the patient has no signs or symptoms of lung cancer or has ever had lung cancer? If the patient is a current or former smoker, enter the pack years of smoking history (numerical value). Packs per day (Average # of cigarettes per day: 20 cigarettes = 1 pack) Years of smoking Pack-year score [# of packs/day X # of years smoked] Must be 30 pack years or greater to be eligible for this scan. Medicaid/Medicare requirements are 20 pack years or greater. Do not order if pack year history is below the requirements as stated above Is the patient a current smoker? If yes, ICD-10 F17.210 Nicotine dependence, cigarettes, uncomplicated Is the patient a former smoker? Enter the number of years/date since patient quit smoking:(within the last 15 years) If yes, ICD-10 Z87.891 Personal Hx of Tobacco Use/Nicotine Dependence Do not order this test if 15 years or greater since the patient quit smoking. Patient has been counseled on the importance of abstaining from cigarettes smoking. 		
 CT Lung Screening Annual Follow-Up CT Lung Screening Diagnostic Evaluation (3/6 month follow-up), ICD-10 Lung Nodule R91.1 Only order if recommended by prior LS (LCDT) report: Lung-RADS 3, 4A or 4B; screening criteria not applicable. SCREENING CRITERIA (Patient must meet all criteria. Screenings can only be done once per year.) N Is the patient between the ages of 55-77? Medicaid/Medicare requirements are ages 50-77. Do not order if patient is outside of these age ranges. Have you verified the patient has no signs or symptoms of lung cancer or has ever had lung cancer? If the patient is a current or former smoker, enter the pack years of smoking history (numerical value). Packs per day (Average # of cigarettes per day: 20 cigarettes = 1 pack) Years of smoking Pack-year score (# of packs/day X # of years smoked) Must be 30 pack years or greater to be eligible for this scan. Medicaid/Medicare requirements are 20 pack years or greater. Do not order if pack year history is below the requirements as stated above Is the patient a current smoker? If yes, ICD-10 F17.210 Nicotine dependence, cigarettes, uncomplicated Is the patient a former smoker? Enter the number of years/date since patient quit smoking:(within the last 15 years) If yes, ICD-10 I287.891 Personal Hx of Tobacco Use/Nicotine Dependence Do not order this test if 15 years or greater since the patient quit smoking. Patient has been counseled on the importance of abstaining from cigarette smoking. 		
 CT Lung Screening Diagnostic Evaluation (3/6 month follow-up), ICD-10 Lung Nodule R91.1 Only order if recommended by prior LS (LCDT) report: Lung-RADS 3, 4A or 4B; screening criteria not applicable. SCREENING CRITERIA (Patient must meet all criteria. Screenings can only be done once per year.) N Is the patient between the ages of 55-77? Medicaid/Medicare requirements are ages 50-77. Do not order if patient is outside of these age ranges. Have you verified the patient has no signs or symptoms of lung cancer or has ever had lung cancer? If the patient is a current or former smoker, enter the pack years of smoking history (numerical value). Packs per day (Average # of cigarettes per day: 20 cigarettes = 1 pack) Years of smoking Years of smoking Pack-year score (# of packs/day X # of years smoked) Must be 30 pack year or greater to be eligible for this scan. Medicaid/Medicare requirements are 20 pack years or greater. Do not order if pack history is below the requirements as stated above Is the patient a current smoker? If yes, ICD-10 F17.210 Nicotine dependence, cigarettes, uncomplicated Is the patient a former smoker? Enter the number of years/date since patient quit smoking:(within the last 15 years) If yes, ICD-10 787.891 Personal Hx of Tobacco Use/Nicotine Dependence Do not order this test if 15 years or greater since the patient quit smoking. Patient has been counseled on the importance of abstaining from cigarette smoking. 		
Only order if recommended by prior LS (LCDT) report: Lung-RADS 3, 4A or 4B; screening criteria not applicable. SCREENING CRITERIA (Patient must meet all criteria. Screenings can only be done once per year.) Y N Image: Screening criteria and applicable. SCREENING CRITERIA (Patient must meet all criteria. Screenings can only be done once per year.) Y N Image: Screening criteria and applicable. SCREENING CRITERIA (Patient must meet all criteria. Screenings can only be done once per year.) Y N Image: Screening criteria and applicable. SCREENING CRITERIA (Patient must meet all criteria. Screenings can only be done once per year.) Y N Image: Screening criteria and applicable. Screening criteria and applicable. Screening criteria and applicable. Screening criteria and applicable. If the patient is a current or former smoker, enter the pack years of smoking history (numerical value). Pack per day (Average # of cigarettes per day: 20 cigarettes = 1 pack) Years of smoking Years of smoking Years or greater to be eligible for this scan. Medicaid/Medicare requirements are 20 pack years or greater. Do not order if pack year history is below the requirements as stated above	-	
SCREENING CRITERIA (Patient must meet all criteria. Screenings can only be done once per year.) Y N Image: Screening scale only be done once per year.) Y N Image: Screening scale only be done once per year.) Y N Image: Screening scale only be done once per year.) Y N Image: Screening scale only be done once per year.) Y N Image: Screening scale only be done once per year.) Denot order if patient between the ages of 55-77? Medicaid/Medicare requirements are ages 50-77. Do not order if patient is outside of these age ranges. Image: Scale only the patient is outside of these age ranges. Have you verified the patient has no signs or symptoms of lung cancer or has ever had lung cancer? If the patient is a current or former smoker, enter the pack years of smoking history (numerical value).	-	
Y N □ Is the patient between the ages of 55-77? Medicaid/Medicare requirements are ages 50-77. Do not order if patient is outside of these age ranges. □ Have you verified the patient has no signs or symptoms of lung cancer or has ever had lung cancer? If the patient is a current or former smoker, enter the pack years of smoking history (numerical value). Packs per day (Average # of cigarettes per day: 20 cigarettes = 1 pack) Years of smoking Pack-year score (# of packs/day X # of years smoked) Must be 30 pack years or greater to be eligible for this scan. Medicaid/Medicare requirements are 20 pack years or greater. Do not order if pack year history is below the requirements as stated above □ Is the patient a current smoker? If yes, ICD-10 F17.210 Nicotine dependence, cigarettes, uncomplicated □ Is the patient a former smoker? Enter the number of years/date since patient quit smoking:(within the last 15 years) If yes, ICD-10 Z87.891 Personal Hx of Tobacco Use/Nicotine Dependence Do not order this test if 15 years or greater since the patient quit smoking. Patient has been counseled on the importance of abstaining from cigarette smoking.		
 Is the patient between the ages of 55-77? Medicaid/Medicare requirements are ages 50-77. Do not order if patient is outside of these age ranges. Have you verified the patient has no signs or symptoms of lung cancer or has ever had lung cancer? If the patient is a current or former smoker, enter the pack years of smoking history (numerical value). Packs per day (Average # of cigarettes per day: 20 cigarettes = 1 pack) Years of smoking Pack-year score (# of packs/day X # of years smoked) Must be 30 pack years or greater to be eligible for this scan. Medicaid/Medicare requirements are 20 pack years or greater. Do not order if pack year history is below the requirements as stated above Is the patient a current smoker? If yes, ICD-10 F17.210 Nicotine dependence, cigarettes, uncomplicated Is the patient a former smoker? Enter the number of years/date since patient quit smoking:(within the last 15 years) If yes, ICD-10 Z87.891 Personal Hx of Tobacco Use/Nicotine Dependence Do not order this test if 15 years or greater since the patient quit smoking. Patient has been counseled on the importance of abstaining from cigarette smoking. 	SCREENING	G CRITERIA (Patient must meet all criteria. Screenings can only be done once per year.)
 Is the patient between the ages of 55-77? Medicaid/Medicare requirements are ages 50-77. Do not order if patient is outside of these age ranges. Have you verified the patient has no signs or symptoms of lung cancer or has ever had lung cancer? If the patient is a current or former smoker, enter the pack years of smoking history (numerical value). Packs per day (Average # of cigarettes per day: 20 cigarettes = 1 pack) Years of smoking Pack-year score (# of packs/day X # of years smoked) Must be 30 pack years or greater to be eligible for this scan. Medicaid/Medicare requirements are 20 pack years or greater. Do not order if pack year history is below the requirements as stated above Is the patient a current smoker? If yes, ICD-10 F17.210 Nicotine dependence, cigarettes, uncomplicated Is the patient a former smoker? Enter the number of years/date since patient quit smoking:(within the last 15 years) If yes, ICD-10 Z87.891 Personal Hx of Tobacco Use/Nicotine Dependence Do not order this test if 15 years or greater since the patient quit smoking. Patient has been counseled on the importance of abstaining from cigarette smoking. 	Y N	
 Do not order if patient is outside of these age ranges. Have you verified the patient has no signs or symptoms of lung cancer or has ever had lung cancer? If the patient is a current or former smoker, enter the pack years of smoking history (numerical value). Packs per day (Average # of cigarettes per day: 20 cigarettes = 1 pack) Years of smoking Pack-year score (# of packs/day X # of years smoked) Must be 30 pack years or greater to be eligible for this scan. Medicaid/Medicare requirements are 20 pack years or greater. Do not order if pack year history is below the requirements as stated above Is the patient a current smoker? If yes, ICD-10 F17.210 Nicotine dependence, cigarettes, uncomplicated Is the patient a former smoker? Enter the number of years/date since patient quit smoking:(within the last 15 years) If yes, ICD-10 Z87.891 Personal Hx of Tobacco Use/Nicotine Dependence Do not order this test if 15 years or greater since the patient quit smoking. Patient has been counseled on the importance of abstaining from cigarette smoking. 		Is the patient between the ages of 55-77? Medicaid/Medicare requirements are ages 50-77 .
 Have you verified the patient has no signs or symptoms of lung cancer or has ever had lung cancer? If the patient is a current or former smoker, enter the pack years of smoking history (numerical value). Packs per day (Average # of cigarettes per day: 20 cigarettes = 1 pack) Years of smoking Pack-year score (# of packs/day X # of years smoked) Must be 30 pack years or greater to be eligible for this scan. Medicaid/Medicare requirements are 20 pack years or greater. Do not order if pack year history is below the requirements as stated above Is the patient a current smoker? If yes, ICD-10 F17.210 Nicotine dependence, cigarettes, uncomplicated Is the patient a former smoker? Enter the number of years/date since patient quit smoking:(within the last 15 years) If yes, ICD-10 Z87.891 Personal Hx of Tobacco Use/Nicotine Dependence Do not order this test if 15 years or greater since the patient quit smoking. Patient has been counseled on the importance of abstaining from cigarette smoking. 		
 Packs per day (Average # of cigarettes per day: 20 cigarettes = 1 pack) Years of smoking Pack-year score (# of packs/day X # of years smoked) Must be 30 pack years or greater to be eligible for this scan. Medicaid/Medicare requirements are 20 pack years or greater. Do not order if pack year history is below the requirements as stated above Is the patient a current smoker? If yes, ICD-10 F17.210 Nicotine dependence, cigarettes, uncomplicated Is the patient a former smoker? Enter the number of years/date since patient quit smoking:(within the last 15 years) If yes, ICD-10 Z87.891 Personal Hx of Tobacco Use/Nicotine Dependence Do not order this test if 15 years or greater since the patient quit smoking. Patient has been counseled on the importance of abstaining from cigarette smoking. 		
 Packs per day (Average # of cigarettes per day: 20 cigarettes = 1 pack) Years of smoking Pack-year score (# of packs/day X # of years smoked) Must be 30 pack years or greater to be eligible for this scan. Medicaid/Medicare requirements are 20 pack years or greater. Do not order if pack year history is below the requirements as stated above Is the patient a current smoker? If yes, ICD-10 F17.210 Nicotine dependence, cigarettes, uncomplicated Is the patient a former smoker? Enter the number of years/date since patient quit smoking:(within the last 15 years) If yes, ICD-10 Z87.891 Personal Hx of Tobacco Use/Nicotine Dependence Do not order this test if 15 years or greater since the patient quit smoking. Patient has been counseled on the importance of abstaining from cigarette smoking. 	If the	e patient is a current or former smoker, enter the pack years of smoking history (numerical value)
 Years of smoking Pack-year score (# of packs/day X # of years smoked) Must be 30 pack years or greater to be eligible for this scan. Medicaid/Medicare requirements are 20 pack years or greater. Do not order if pack year history is below the requirements as stated above Is the patient a current smoker? If yes, ICD-10 F17.210 Nicotine dependence, cigarettes, uncomplicated Is the patient a former smoker? Enter the number of years/date since patient quit smoking:(within the last 15 years) If yes, ICD-10 Z87.891 Personal Hx of Tobacco Use/Nicotine Dependence Do not order this test if 15 years or greater since the patient quit smoking. Patient has been counseled on the importance of abstaining from cigarette smoking. 		
 Pack-year score (# of packs/day X # of years smoked) Must be 30 pack years or greater to be eligible for this scan. Medicaid/Medicare requirements are 20 pack years or greater. Do not order if pack year history is below the requirements as stated above Is the patient a current smoker? If yes, ICD-10 F17.210 Nicotine dependence, cigarettes, uncomplicated Is the patient a former smoker? Enter the number of years/date since patient quit smoking:(within the last 15 years) If yes, ICD-10 Z87.891 Personal Hx of Tobacco Use/Nicotine Dependence Do not order this test if 15 years or greater since the patient quit smoking. Patient has been counseled on the importance of abstaining from cigarette smoking. 		
 pack years or greater. Do not order if pack year history is below the requirements as stated above Is the patient a current smoker? If yes, ICD-10 F17.210 Nicotine dependence, cigarettes, uncomplicated Is the patient a former smoker? Enter the number of years/date since patient quit smoking:(within the last 15 years) If yes, ICD-10 Z87.891 Personal Hx of Tobacco Use/Nicotine Dependence Do not order this test if 15 years or greater since the patient quit smoking. Patient has been counseled on the importance of abstaining from cigarette smoking. 		
 Do not order if pack year history is below the requirements as stated above Is the patient a current smoker? If yes, ICD-10 F17.210 Nicotine dependence, cigarettes, uncomplicated Is the patient a former smoker? Enter the number of years/date since patient quit smoking:(within the last 15 years) If yes, ICD-10 Z87.891 Personal Hx of Tobacco Use/Nicotine Dependence Do not order this test if 15 years or greater since the patient quit smoking. Patient has been counseled on the importance of abstaining from cigarette smoking. 	Must	be 30 pack years or greater to be eligible for this scan. Medicaid/Medicare requirements are 20
 Is the patient a current smoker? If yes, ICD-10 F17.210 Nicotine dependence, cigarettes, uncomplicated Is the patient a former smoker? Enter the number of years/date since patient quit smoking:(within the last 15 years) If yes, ICD-10 Z87.891 Personal Hx of Tobacco Use/Nicotine Dependence Do not order this test if 15 years or greater since the patient quit smoking. Patient has been counseled on the importance of abstaining from cigarette smoking. 	-	
 If yes, ICD-10 F17.210 Nicotine dependence, cigarettes, uncomplicated Is the patient a former smoker? Enter the number of years/date since patient quit smoking:(within the last 15 years) If yes, ICD-10 Z87.891 Personal Hx of Tobacco Use/Nicotine Dependence Do not order this test if 15 years or greater since the patient quit smoking. Patient has been counseled on the importance of abstaining from cigarette smoking. 		
 Is the patient a former smoker? Enter the number of years/date since patient quit smoking:(within the last 15 years) If yes, ICD-10 Z87.891 Personal Hx of Tobacco Use/Nicotine Dependence Do not order this test if 15 years or greater since the patient quit smoking. Patient has been counseled on the importance of abstaining from cigarette smoking. 		
 Enter the number of years/date since patient quit smoking:(within the last 15 years) If yes, ICD-10 Z87.891 Personal Hx of Tobacco Use/Nicotine Dependence Do not order this test if 15 years or greater since the patient quit smoking. Patient has been counseled on the importance of abstaining from cigarette smoking. 		-
 If yes, ICD-10 Z87.891 Personal Hx of Tobacco Use/Nicotine Dependence Do not order this test if 15 years or greater since the patient quit smoking. Patient has been counseled on the importance of abstaining from cigarette smoking. 		·
 Do not order this test if 15 years or greater since the patient quit smoking. Patient has been counseled on the importance of abstaining from cigarette smoking. 		
Patient has been counseled on the importance of abstaining from cigarette smoking.		
PRIMARY INSURANCE: ID #:		
	PRIMARY I	NSURANCE:ID #:
ORDERING PROVIDER:		
PHONE: FAX:	PHONE:	FAX:
PROVIDER SIGNATURE: DATE:	PROVIDER	SIGNATURE: DATE: